

Crane Remote Control Batteries

Product Information

BATSTAR Replacement Battery for GROSS FUNK



part number	oem-battery	voltage	capacity	watt hours	type	note*	delivery	dimensions h X w X d	weight
C030607	100-001-885	7.2 V	700 mAh	5.04 Wh Ni-MH	HQ	K	4-6 weeks	9.3x5.0x2.1	110 g



BATSTAR Replacement Battery for HBC-Radiomatic Transmitter orbit / micron 3 / 4 / 5



part number	oem-battery	voltage	capacity	watt hours	type	note*	delivery	dimensions h X w X d	weight
C040307	BA222060 / BA203060 / FuB 3A	6.0 V	730 mAh	4.38 Wh Ni-MH	HQ	L	24h	5.3x5.6x1.4	69 g
part number	oem-charger	description					delivery	dimensions h X w X d	weight
C040039	QA109600 / QA119600	1-bay quickcharger for Battery C040307 / BA222060 incl. 230V power supply					K 6-8 weeks	13.6x10.5x5.5	145 g

BATSTAR Replacement Battery for HBC-Radiomatic Transmitter linus 6 / eco / technos 1 / spectrum 1 / A / 2 / B



part number	oem-battery	voltage	capacity	watt hours	type	note*	delivery	dimensions h X w X d	weight
C040510	BA225030 / BA225000 BA205030 / BA205000 / FuB 5AA	6.0 V	1000 mAh	6.00 Wh Ni-Cd	HQ	L	24h	8.2x5.7x2.5	133 g
C040516	BA225030 / BA225000 BA205030 / BA205000 / FuB 5AA	6.0 V	1650 mAh	9.90 Wh Ni-MH	HC	K	4-6 weeks	8.2x5.7x2.5	
C040522	BA225030 / BA225000 BA205030 / BA205000 / FuB 5AA	6.0 V	2200 mAh	13.20 Wh Ni-MH	EHC	L	24h	8.2x5.7x2.5	166 g
part number	oem-charger	description					delivery	dimensions h X w X d	weight
C040015	QA109600 / 190-01-000XX	1-bay quickcharger for Battery C0405XX / BA2250X0 incl. 230V power supply					K 1-2 weeks	13.5x10.3x5.4	148 g



BATSTAR Replacement Battery for HBC-Radiomatic

Transmitter quadrix / quadrix iLOG / patrol D / keynote / vector pro / micron 4 /6 /7 / micron 5 iLOG / linus 4 / eco iLOG



part number	oem-battery	voltage	capacity	watt hours	type	note*	delivery	dimensions h X w X d	weight
C040622	BA223000 / BA223030 / FuB 6N	3.6 V	2200 mAh	7.92 Wh Ni-MH	HQ	L	24h	6.1x4.8x1.8	100 g
C040622 #50	BA223000 / BA223030 / FuB 6N	3.6 V	2200 mAh	7.92 Wh Ni-MH	HQ	L	24h	6.1x4.8x1.8	100 g
part number	oem-charger	description					delivery	dimensions h X w X d	weight
C040006	QA108600	1-bay quickcharger for Battery C040622 / BA2230X0 incl. 230V power supply					K 6-8 weeks	13.6x10.5x5.5	145 g

(#50 = pack of 50 pcs.)

BATSTAR Replacement Battery for HBC-Radiomatic Transmitter micron 3 /4 /5


part number	oem-battery	voltage	capacity	watt hours	type	note*	delivery	dimensions h X w X d	weight
C040908	BA209001 / BA209061 BA209000 / BA209060 / FuB 9NM	6.0 V	800 mAh	4.80 Wh Ni-MH	HQ	L	24h	5.8x5.7x1.8	77 g
C040908 #50	BA209001 / BA209061 BA209000 / BA209060 / FuB 9NM	6.0 V	800 mAh	4.80 Wh Ni-MH	HQ	L	24h	5.8x5.7x1.8	77 g
part number	oem-charger	description					delivery	dimensions h X w X d	weight
C040039	QA109600 / QA119600	1-bay quickcharger for Battery C040908 / BA2290X1 incl. 230V power supply					K 6-8 weeks	13.6x10.5x5.5	145 g

(#50 = pack of 50 pcs.)

BATSTAR Replacement Battery for HBC-Radiomatic Transmitter spectrum 2 /3


part number	oem-battery	voltage	capacity	watt hours	type	note*	delivery	dimensions h X w X d	weight
C041010	BA213020 / BA210040 BA211060 / BA214061 / FuB 10AA	2x6.0 V	1000 mAh	12.00 Wh Ni-Cd	HQ	L	24h	15.3x5.6x2.0	269 g
C041022	BA213020 / BA210040 BA211060 / BA214061 / FuB 10AA	2x6.0 V	2200 mAh	26.40 Wh Ni-MH	HC	L	24h	15.3x5.6x2.0	335 g
part number	oem-charger	description					delivery	dimensions h X w X d	weight
C040015	QA115600 / 190-01-00066	1-bay quickcharger for Battery C0410XX / BA213020 incl. 230V power supply					K 1-2 weeks	13.5x10.3x5.4	148 g



BATSTAR Replacement Battery for Abitron / Hetronic ERGO / NOVA (short)



part number	oem-battery	voltage	capacity	watt hours	type	note*	delivery	dimensions h X w X d	weight
C080807	68300510 / 68300520	9.6 V	750 mAh	7.20 Wh Ni-MH	HC	HC	L 24h	6.6x6.0x2.2	129 g
part number	oem-charger	description					delivery	dimensions h X w X d	weight
C080081	68108500 / 68108570	1-bay quickcharger for Battery C080807 / ERGO/NOVA incl. 230V power supply					K 6-8 weeks		

BATSTAR Replacement Battery for Abitron / Hetronic GA / GL / GR-W / TG / NOVA



part number	oem-battery	voltage	capacity	watt hours	type	note*	delivery	dimensions h X w X d	weight
C080822	68303000 / 68303010	9.6 V	2200 mAh	21.12 Wh Ni-MH	HC	HC	L 24h	11.7x6.9x2.0	266 g
part number	oem-charger	description					delivery	dimensions h X w X d	weight
C080082	68108700 / 68108730 / 68108800 / 68108860	1-bay quickcharger for Battery C080822 / GA/GL/GR-W/TG incl. 230V power supply					K 1-2 weeks		

BATSTAR Replacement Battery for Hetronic MINI



part number	oem-battery	voltage	capacity	watt hours	type	note*	delivery	dimensions h X w X d	weight
C080322	68300600 / 68300900	3.6 V	2200 mAh	7.92 Wh Ni-MH	HC	HC	L 24h	5.5x6.0x2.2	105 g
part number	oem-charger	description					delivery	dimensions h X w X d	weight
C080031	68108500 / 68108570	1-bay quickcharger for Battery C080322 / MINI incl. 230V power supply					K 6-8 weeks	13.6x10.5x5.5	145 g

BATSTAR Replacement Battery for Hetronic



part number	oem-battery	voltage	capacity	watt hours	type	note*	delivery	dimensions h X w X d	weight
PTU10313	68305001	3.6 V	1300 mAh	4.68 Wh Ni-Cd	HQ	HQ	L 24h	5.5x6.0x2.2	119 g
part number	oem-charger	description					delivery	dimensions h X w X d	weight
PTU10000	VP130K	Dual-charger for Battery PTU10313 / 68305001 incl. 230V power supply					K 3-5 days	5.7x5.6x1.1	80 g

Original Battery for HIAB / Olsberg HiDrive 4000 055 / 077 / 088 / 095 / 099 / 102 / 112 / 122 / 144 / 166 / 175 / 195 / 200 / 220 / 288 / 322 / 422 / B / BCL / BNB / CL / D / DCL / DUO / HIDUO / L / XS



part number	oem-battery	voltage	capacity	watt hours	type	note*	delivery	dimensions h X w X d	weight
C020615	2.250.2011 / 9847669 / H-984-7669 / 984.7669	7.2 V	1500 mAh	10.80 Wh Ni-MH	O	K	3-5 days	12.6x4.7x1.8	195 g

Original Battery for NBB Nano-S / Nano-L SMJ / Nano-M SMJ / Nano-V



part number	oem-battery	voltage	capacity	watt hours	type	note*	delivery	dimensions h X w X d	weight
C020615	22501000 / 22502010 / 22502011 / 22601020 / H9847669	7.2 V	1500 mAh	10.80 Wh Ni-MH	O	K	3-5 days	12.6x4.7x1.8	195 g



BATSTAR Replacement Battery for SCANRECO EFFER / FASSI / HMF / PALFINGER / RC400



part number	oem-battery	voltage	capacity	watt hours	type	note*	delivery	dimensions h X w X d	weight
C090620	590 / 592 / 960	7.2 V	2000 mAh	14.40 Wh Ni-MH	HQ	L	24h	15.1x5.0x2.9	237 g
C090620 #50	590 / 592 / 960	7.2 V	2000 mAh	14.40 Wh Ni-MH	HQ	L	24h	15.1x5.0x2.9	237 g
part number	oem-charger	description					delivery	dimensions h X w X d	weight
C090009		1-bay quickcharger for Battery C090620 / 590/592/960 incl. 230V power supply					K 6-8 weeks	13.5x10.3x5.4	142 g

(#50 = pack of 50 pcs.)

note*:

EHC+ = Extra High Capacity Premium+ Battery
 EZ = Extended-Size Battery
 HC+ = High Capacity Premium+ Battery
 IM = Impress Battery
 SHC+ = Super Extra High Capacity Premium+ Battery
 SL+ = Slim-Line Premium+ Battery

BU = Back-Up Battery
 ES = Extra Slim Battery
 EZ+ = Extended-Size Premium+ Battery
 HQ = High Quality Battery
 O = Original Battery
 SHC = Super Extra High Capacity Battery
 SZ = Standard-Size Battery

EHC = Extra High Capacity Battery
 ES+ = Extra Slim Premium+ Battery
 HC = High Capacity Battery
 HQ+ = High Quality Premium+ Battery
 OIM = Original Impress Battery
 SL = Slim-Line Battery
 SZ+ = Standard-Size Premium+ Battery



BATSTAR GmbH
Ungerather Str. 87
D-41366 Schwalmtal

Telefon: +49(0)2163/57556-0

Telefax: +49(0)2163/57556-50

E-Mail: info@batstar.de

<http://www.batstar.de>